

TECHNICAL DATA SHEET

Document Code:	A.12.001
Release Date:	9.06.2022
Revision Number:	3
Revision Date:	11.11.2024
Deview Deter	
Review Date:	11.11.2024

NP 210-Y / 210 ML

NP 210-Y 210-Y Round Body + Lid 220 210
51,5 78 95
7 93
10,85 3,85 - 14,7
White Block Copolymer Transparent Random Copolymer On Request

IML PRITING


IML Printing Body	Yes
IML Printing Lid	Yes
IML Printing Lid	Ye

PACKAGING UNITS

Part Name	Box Size	Pieces in a Box	Box Quantity on Pallet	Number of Products on Pallet
Body	495x400x39	500	16	8000
Lid	495x400x395	1560	16	31200







LOGISTICS INFORMATION

Part Name	Body	Lid
Quantity per Palet	8000	31200
Quantity per Truck	-	-
Quantity per 40'HC Container	-	-
Free String	-	-



EXPLANATIONS

Hot Filling Conditions	The selected product has high temperature resistance and is suitable for hot filling. However, before purchasing the products, process trials should be carried out on the sample product.
Low Temperature Use	The production of products resistant to low temperatures requires special application. Products to be used at low temperatures should first be tested with samples.
Storage Conditions	Packaging should be stored in moisture-free, dry and closed environments away from direct sunlight.
Shelf life	It must be consumed within 2 years from the date of production.
Quality Information	Products are manufactured according to GFSI approved BRC, ISO 9001:2015 and ISO 22000 standards.
Packaging Change	Varies depending on desired quantities and pallet height. Noa Trade LTD. ŞTİ reserves the right to make changes.



