

TECHNICAL DATA SHEET

Document Code:	A.12.001
Release Date:	9.06.2022
Revision Number:	3
Revision Date:	11.11.2024
Review Date:	11.11.2024

NP 400-KL / 400 ML

PRODUCT

Product Code	NP 400-KL
Product Description	400 Rectangular Body + Lid
Gross Volume (%±5)	400
Net Volume (%±5)	400

BODY DIMENSIONS

Height (mm) (%±2)	32
Bottom Diameter (Ø) (%±2)	113
Outer Mouth Diameter (Ø) (%±2)	139

LID DIMENSIONS

Height (mm) (%±2)	32
Outer Mouth Diameter (Ø) (%±2)	139

WEIGHT

Body (±5)	14,46
Lid (±5)	13,4
Handle (±5)	-
Weight (±5)	27,86

RAW METERIAL & COLOR

Impact PP White Block Copolymer Random PP Transparent Random Copolymer Color On Request

IML PRITING

IML Printing Body
IML Printing Lid
Yes

PACKAGING UNITS

Part Name	Box Size	Pieces in a Box	Box Quantity on Pallet	Number of Products on Pallet
Body	559x419x537	750	16	12000
Lid	559x419x537	800	16	12800

LOGISTICS INFORMATION

Part Name	Body	Lid
Quantity per Palet	12000	12800
Quantity per Truck	204387	204387
Quantity per 40'HC Container	154839	154839
Free String	-	-

113 (113x83) A-A (1:1.5) 120 120 139 B-B (1:1.5)

EXPLANATIONS

Shelf life

Hot Filling Conditions The selected product has high temperature resistance and is suitable for	or hot filling.
--------------------------------------------------------------------------------------------------	-----------------

However, before purchasing the products, process trials should be carried out on the sample product.

Low Temperature UseThe production of products resistant to low temperatures requires special application.

Products to be used at low temperatures should first be tested with samples.

Storage Conditions Packaging should be stored in moisture-free, dry and closed environments away from direct sunlight.

Quality Information Products are manufactured according to GFSI approved BRC, ISO 9001:2015 and ISO 22000 standards.

It must be consumed within 2 years from the date of production.

Packaging Change Varies depending on desired quantities and pallet height. Noa Trade LTD. ŞTİ reserves the right to make changes.





