

<div><div>NOA</div><div>PACKAGING</div></div>	TECHNICAL DATA SHEET			Document Code:	A.12.001
				Release Date:	9.06.2022
				Revision Number:	3
				Revision Date:	11.11.2024
				Review Date:	11.11.2024
NP 9-Y / 9000 ML					
PRODUCT					
Product Code			NP 9-Y		
Product Description			9-Y Round Body + Lid		
Gross Volume (%±5)			9700		
Net Volume (%±5)			9500		
BODY DIMENSIONS					
Height (mm) (%±2)			215		
Bottom Diameter (Ø) (%±2)			232,5		
Outer Mouth Diameter (Ø) (%±2)			276		
LID DIMENSIONS					
Height (mm) (%±2)			10,5		
Outer Mouth Diameter (Ø) (%±2)			272		
WEIGHT					
Body (±5)			206,96		
Lid (±5)			53,95		
Handle (±5)			9		
Weight (±5)			269,91		
RAW MATERIEL & COLOR					
Impact PP			White Block Copolymer		
Random PP			Transparent Random Copolymer		
Color			On Request		
IML PRITING					
IML Printing Body			Yes		
IML Printing Lid			No		
PACKAGING UNITS					
Part Name	Box Size	Pieces in a Box	Box Quantity on Pallet	Number of Products on Pallet	
Body	-	-	-	1600	
Lid	-	-	-	6400	
LOGISTICS INFORMATION					
Part Name	Body		Lid		
Quantity per Palet	1600		6400		
Quantity per Truck	23040		23040		
Quantity per 40'HC Container	23040		23040		
Free String	-		-		
EXPLANATIONS					
Hot Filling Conditions	The selected product has high temperature resistance and is suitable for hot filling.				
	However, before purchasing the products, process trials should be carried out on the sample product.				
Low Temperature Use	The production of products resistant to low temperatures requires special application.				
	Products to be used at low temperatures should first be tested with samples.				
Storage Conditions	Packaging should be stored in moisture-free, dry and closed environments away from direct sunlight.				
Shelf life	It must be consumed within 2 years from the date of production.				
Quality Information	Products are manufactured according to GFSI approved BRC, ISO 9001:2015 and ISO 22000 standards.				
Packaging Change	Varies depending on desired quantities and pallet height. Noa Trade LTD.\$Tİ reserves the right to make changes.				







